

**Huntington
Beach
Utilities
Division**

**2013
Drinking
Water
Quality
Report**

Your 2013 Water Quality Report

Drinking Water Quality

Since 1990, California public water utilities have been providing an annual Water Quality Report to their customers. This year's report covers all drinking water quality testing performed in calendar year 2012. The City of Huntington Beach Public Works Utilities Division vigilantly safeguards your water supply and, as in years past, the water delivered to your home meets all drinking water quality standards required by federal and state regulatory agencies. The U.S. Environmental Protection Agency (USEPA) and the California Department of Public Health (CDPH) are the agencies responsible for establishing and enforcing drinking water quality standards.

In some cases, the City goes beyond

what is required by testing for unregulated chemicals that may have known health risks, but do not have drinking water standards.

In addition, the Orange County Water District

(OCWD), which manages the

groundwater basin, and the Metropolitan

Water District of Southern California (MWDSC), which supplies

imported treated surface water to the City, test for unregulated

chemicals in our water supplies. Monitoring for unregulated

chemicals helps USEPA and CDPH determine where certain chemicals

occur and whether new standards need to be established for those

chemicals to protect public health.



Your drinking water is constantly monitored from source to tap for regulated and unregulated constituents through drinking water quality testing programs carried out by OCWD for groundwater, MWDSC for treated surface water and the Huntington Beach Public Works Utilities Division for groundwater wells, reservoirs, and distribution system.

The State allows us to monitor for some contaminants less than once per year because the concentrations of these contaminants do not change frequently. Some of our data, though representative, are more than one year old.

We Go to Great Lengths to Ensure the Continued Quality of Your Water

Sources of Supply

Orange County's water supplies are a blend of groundwater provided by OCWD and water imported from Northern California and the Colorado River by the Municipal Water District of Orange County (MWDOC) via MWDCS. Groundwater comes from a natural underground aquifer that is replenished with water from the Santa Ana River, local rainfall and imported water. The groundwater basin is 350 square miles and lies beneath north and central Orange County from Irvine to the Los Angeles County border and from Yorba Linda to the Pacific Ocean. More than 20 cities and retail water districts draw from the basin to provide water to homes and businesses.

In 2012, the City of Huntington Beach water consisted of 66% local groundwater and 34% imported treated surface water. The City operates 10 groundwater wells and 3 imported surface water connections. Huntington Beach also has emergency water connections with the adjacent cities of Fountain Valley, Seal Beach, and Westminster.



Orange County's Water Future

For years, Orange County has enjoyed an abundant, seemingly endless supply of high-quality water. However, as water demand continues to increase statewide, we must be even more conscientious about our water supply and maximize the efficient use of this precious natural resource.

OCWD and MWDOC work cooperatively to evaluate new and innovative water management and supply development programs, including water reuse and recycling, wetlands expansion, recharge facility construction, ocean and brackish water desalination, surface storage and water use efficiency programs. These efforts are helping to enhance long-term countywide water reliability and water quality.

Questions about your water? Contact us for answers.


For information or concerns about this report, or your water quality in general, please contact Derek Smith or Jon Erickson at (714) 536-5921, or send an e-mail to dsmith@surfcity-hb.org. You may also address your concerns at the regularly scheduled City Council Meetings held at City Hall at 2000 Main Street in Huntington Beach on the first and third Mondays of each month at 6:00 pm in the City Hall Council Chambers, or at monthly Public Works Commission meeting on the third Wednesday of every month at 5:00 pm in the City Hall Council Chambers. Please feel free to participate in these meetings. The City firmly believes in the public's right to know as much as possible about the quality of their drinking water and the health of their watershed. Your input and concerns are very important to us.

For more information about the health effects of the listed contaminants in the following tables, call the USEPA hotline at (800) 426-4791.

How Residential Water is Used in Orange County

Outdoor watering of lawns and gardens makes up approximately 60% of home water use. By cutting your outdoor watering by 1 or 2 days a week, you can dramatically reduce your overall water use.

Visit www.bewaterwise.com for water saving tips and ideas for your home and business.




A healthy water future for Orange County rests on finding and developing new water supplies, as well as protecting and improving the quality of the water that we have today. Your local and regional water agencies are committed to making the necessary investments today in new water supply and management projects to ensure an abundant and high-quality water supply for our future.

Basic Information About Drinking Water Contaminants

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs and wells. As water travels over the surface of land, or through the layers of the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animal and human activity.

Contaminants that may be present in source water include:

- Microbial contaminants, such as viruses and bacteria, may come from sewage treatment plants, septic systems, agricultural livestock operations and wildlife.
- Pesticides and herbicides may come from a variety of sources such as agriculture, urban stormwater runoff and residential uses.



After a promising Fall that saw the December snowpack at nearly 200% of average, this year's rainy season has proved one of the driest on record. Despite the dwindling snowpack, key reservoirs are well-filled, thanks to the early storms. There is a potential for drought, so it's important to use water efficiently. Every gallon saved today helps prepare against the certainty of future shortages.

- Inorganic contaminants, such as salts and metals, can be naturally occurring or result from urban storm runoff, industrial or domestic wastewater discharges, oil and gas production, mining and farming.
- Radioactive contaminants can be naturally occurring or the result of oil and gas production or mining activities.
- Organic chemical contaminants, including synthetic and volatile organic chemicals, are by-products of industrial processes and petroleum production, and can also come from gasoline stations, urban stormwater runoff, agricultural application and septic systems.



In order to ensure that tap water is safe to drink, USEPA and the CDPH prescribe regulations that limit the amount of certain contaminants in water provided by public water systems. CDPH regulations also establish limits for contaminants in bottled water that must provide the same protection for public health. Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the USEPA's Safe Drinking Water Hotline at (800) 426-4791.

Fluoridation

Fluoride occurs naturally in Huntington Beach's water supplies. In addition to the natural levels, the City adds a small amount of fluoride to the water to promote dental benefits per a majority vote of the community during the early 1970s.

Fluoridation's primary benefit is to help prevent tooth decay in children. Because of the dramatic health benefits of fluoridating drinking water, a 1997 Assembly Bill of the State of California mandated all large system water suppliers to begin fluoridating their systems.

The City's water is fluoridated to the California Department of Public Health optimal levels within a range of 0.7 ppm to 1.3 ppm.

For additional information about the fluoridation of drinking water, please visit:

U.S. Centers for Disease Control and Prevention
www.cdc.gov/fluoridation/

California Department of Public Health
www.cdph.ca.gov/certlic/drinkingwater/Pages/Fluoridation.aspx

American Water Works Association
www.awwa.org



Information You Should Know About the Quality of Your Drinking Water

Immuno-Compromised People

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised people, such as those with cancer who are undergoing chemotherapy, persons who have had organ transplants, people with HIV/AIDS or other immune system disorders, some elderly persons and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers.

Cryptosporidium

Cryptosporidium is a microscopic organism that, when ingested, can cause diarrhea, fever, and other gastrointestinal symptoms. The organism comes from animal and/or human wastes and may be in surface water. MWSDSC tested their source water and treated surface water for *Cryptosporidium* in 2012 but did not detect it. If it is ever detected, *Cryptosporidium* is eliminated by an effective treatment combination including sedimentation, filtration and disinfection.

What are Water Quality Standards?

Drinking water standards established by USEPA and CDPH set limits for substances that may affect consumer health or aesthetic qualities of drinking water. The chart in this report shows the following types of water quality standards:

- **Maximum Contaminant Level (MCL):** The highest level of a contaminant that is allowed in drinking water. Primary MCLs are set as close to the PHGs (or MCLGs) as is economically and technologically feasible.
- **Maximum Residual Disinfectant Level (MRDL):** The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.
- **Secondary MCLs:** Set to protect the odor, taste, and appearance of drinking water.
- **Primary Drinking Water Standard:** MCLs for contaminants that affect health along with their monitoring and reporting requirements and water treatment requirements.
- **Regulatory Action Level (AL):** The concentration of a contaminant, which, if exceeded, triggers treatment or other requirements that a water system must follow.

How are Contaminants Measured?

Water is sampled and tested throughout the year.

Contaminants are measured in:

- parts per million (ppm) or milligrams per liter (mg/L)
- parts per billion (ppb) or micrograms per liter ($\mu\text{g/L}$)
- parts per trillion (ppt) or nanograms per liter (ng/L)

What is a Water Quality Goal?


In addition to mandatory water quality standards, USEPA and CDPH have set voluntary water quality goals for some contaminants. Water quality goals are often set at such low levels that they are not achievable in practice and are not directly measurable. Nevertheless, these goals provide useful guideposts and direction for water management practices. The chart in this report includes three types of water quality goals:

- **Maximum Contaminant Level Goal (MCLG):** The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs are set by USEPA.
- **Maximum Residual Disinfectant Level Goal (MRDLG):** The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.
- **Public Health Goal (PHG):** The level of a contaminant in drinking water below which there is no known or expected risk to health. PHGs are set by the California Environmental Protection Agency.

The USEPA and the federal Centers for Disease Control guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* and other microbial contaminants are available from USEPA's Safe Drinking Water Hotline at (800) 426-4791 between 10 a.m. and 4 p.m. Eastern Time (7 a.m. to 1 p.m. in California), or visit them on the web at www.epa.gov/drink.

Chloramines

Huntington Beach imports water from MWSDSC which produces water that is treated with chloramines, a combination of chlorine and ammonia, as its drinking water disinfectant. Chloramines are effective killers of bacteria and other microorganisms that may cause disease. Chloramines



form fewer disinfection by-products and have no odor when used properly. People who use kidney dialysis machines may want to take special precautions and

2012 City of Huntington Beach Drinking Water Quality Local Groundwater and Metropolitan Water District Treated Surface Water

Chemical	MCL	PHG (MCLG)	Avg. Groundwater Amount	Avg. Imported MWD Amount	Range of Detections	MCL Violation?	Typical Source of Contaminant
Radiologicals – Tested in 2011 and 2012							
Alpha Radiation (pCi/L)	15	(0)	ND	3	ND – 3	No	Erosion of Natural Deposits
Beta Radiation (pCi/L)	50	(0)	NR	ND	ND – 4	No	Decay of Man-made or Natural Deposits
Uranium (pCi/L)	20	0.43	4	2	1.5 – 8	No	Erosion of Natural Deposits
Inorganic Chemicals – Tested in 2012							
Aluminum (ppm)	1	0.6	ND	0.15	ND – 0.34	No	Treatment Process Residue, Natural Deposits
Arsenic (ppb)	10	0.004	<2	ND	ND – 2.6	No	Erosion of Natural Deposits
Barium (ppm)	1	2	<0.1	ND	ND – 0.15	No	Erosion of Natural Deposits
Fluoride (ppm) naturally-occurring	2	1	0.38	NR	0.26 – 0.46	No	Erosion of Natural Deposits
Fluoride (ppm) treatment-related	Control Range 0.7 – 1.3 ppm Optimal Level 0.8 ppm		See Footnote (1)	0.8	0.7 – 0.8	No	Water Additive for Dental Health
Nitrate as NO ₃ (ppm)	45	45	2.4	ND	ND – 7.8	No	Agriculture Runoff and Sewage
Nitrate and Nitrite as N (ppm)	10	10	0.54	ND	ND – 1.8	No	Agriculture Runoff and Sewage
Secondary Standards* – Tested in 2012							
Aluminum (ppb)	200*	600	ND	150	ND – 340	No	Treatment Process Residue, Natural Deposits
Chloride (ppm)	500*	n/a	63	90	14 – 130	No	Runoff or Leaching from Natural Deposits
Color (color units)	15*	n/a	1	1	ND – 8	No	Runoff or Leaching from Natural Deposits
Manganese (ppb)	50*	n/a	<20	ND	ND – 25	No	Runoff or Leaching from Natural Deposits
Odor (odor units)	3*	n/a	<1	2	ND – 16	No	Naturally-occurring Organic Materials
Specific Conductance ($\mu\text{mho/cm}$)	1,600*	n/a	640	780	340 – 1,030	No	Substances That Form Ions in Water
Sulfate (ppm)	500*	n/a	73	160	29 – 165	No	Runoff or Leaching from Natural Deposits
Total Dissolved Solids (ppm)	1,000*	n/a	390	500	220 – 630	No	Runoff or Leaching from Natural Deposits
Turbidity (NTU)	5*	n/a	0.11	ND	ND – 1	No	Runoff or Leaching from Natural Deposits
Unregulated Chemicals – Tested in 2012							
Alkalinity, total (ppm as CaCO ₃)	Not Regulated	n/a	170	98	53 – 210	n/a	Runoff or Leaching from Natural Deposits
Boron (ppb)	NL = 1,000	n/a	<100	130	ND – 130	n/a	Runoff or Leaching from Natural Deposits
Calcium (ppm)	Not Regulated	n/a	73	51	23 – 140	n/a	Runoff or Leaching from Natural Deposits
1,4-Dioxane (ppb)	NL = 1	n/a	<1	ND	ND – 6	n/a	Industrial Waste Discharge
Hardness, total (ppm)	Not Regulated	n/a	240	210	63 – 450	n/a	Runoff or Leaching from Natural Deposits
Hardness, total (grains/gal)	Not Regulated	n/a	14	12	4 – 26	n/a	Runoff or Leaching from Natural Deposits
Magnesium (ppm)	Not Regulated	n/a	11	21	1.6 – 23	n/a	Runoff or Leaching from Natural Deposits
pH (pH units)	Not Regulated	n/a	8	8.1	7.9 – 8.4	n/a	Hydrogen Ion Concentration
Potassium (ppm)	Not Regulated	n/a	3.1	4	1.9 – 4.8	n/a	Runoff or Leaching from Natural Deposits
Sodium (ppm)	Not Regulated	n/a	51	80	42 – 81	n/a	Runoff or Leaching from Natural Deposits
Total Organic Carbon (ppm)	Not Regulated	TT	<0.3	2.4	ND – 2.7	n/a	Various Natural and Man-made Sources
Vanadium (ppb)	NL = 50	n/a	<3	ND	ND – 8.6	n/a	Runoff or Leaching from Natural Deposits

ppb = parts-per-billion; ppm = parts-per-million; pCi/L = picoCuries per liter; NTU = nephelometric turbidity units; $\mu\text{mho/cm}$ = micromhos per centimeter; NR = not required to be tested; ND = not detected; NL = Notification Level; < = average is less than the detection limit for reporting purposes; MCL = Maximum Contaminant Level; (MCLG) = federal MCL Goal; PHG = California Public Health Goal; n/a = not applicable; TT = treatment technique *Contaminant is regulated by a secondary standard.

(1) The City of Huntington Beach and the Metropolitan Water District of Southern California add fluoride to the naturally-occurring levels in order to help prevent dental cavities. The fluoride level in the treated water is maintained within an optimal range of 0.7 ppm to 1.3 ppm as required by the California Department of Public Health regulations.

Turbidity – combined filter effluent Metropolitan Water District Diemer Filtration Plant	Treatment Technique	Turbidity Measurements	TT Violation?	Typical Source of Contaminant
1) Highest single turbidity measurement	0.3 NTU	0.04	No	Soil Runoff
2) Percentage of samples less than 0.3 NTU	95%	100%	No	Soil Runoff

Turbidity is a measure of the cloudiness of the water, an indication of particulate matter, some of which might include harmful microorganisms. Low turbidity in Metropolitan's treated water is a good indicator of effective filtration. Filtration is called a "treatment technique" (TT). A treatment technique is a required process intended to reduce the level of contaminants in drinking water that are difficult and sometimes impossible to measure directly.

consult their physician for the appropriate type of water treatment. Customers who maintain fish ponds, tanks or aquaria should also make necessary adjustments in water quality treatment, as chloramines are toxic to fish.

For further information please visit www.epa.gov/safewater/disinfection/chloramine.

Disinfectants and Disinfection Byproducts

Disinfection of drinking water was one of the major public health advances in the 20th century. Disinfection was a major factor in reducing waterborne disease epidemics caused by pathogenic bacteria and viruses, and it remains an essential part of drinking water treatment today.

Chlorine disinfection has almost completely eliminated the risks of microbial waterborne diseases from our lives. Chlorine is added to your drinking water at the source of supply (groundwater well or surface water treatment plant). Enough chlorine is added so that it does not completely dissipate through the distribution system pipes. This “residual” chlorine helps to prevent the growth of bacteria in the pipes that carry drinking water from the source into your home.

However, chlorine can react with naturally-occurring materials in the water to form unintended

chemical byproducts, called disinfection byproducts (DBPs), which may pose health risks. A major challenge is how to balance the risks from microbial pathogens and DBPs. It is important to provide protection from these microbial pathogens while simultaneously ensuring decreasing health risks from disinfection byproducts. The Safe Drinking Water Act requires the USEPA to develop rules to achieve these goals.

Trihalomethanes (THMs) and Haloacetic Acids (HAAs) are the most common and most studied DBPs found in drinking water treated with chlorine. In 1979, the USEPA set the maximum amount of total THMs allowed in drinking water at 100 parts per billion as an annual running average. In January 2002, the Stage 1 Disinfectants / Disinfection Byproducts Rule lowered the total THM maximum annual average level to 80 parts per billion and added HAAs to the list of regulated chemicals in drinking water. Your drinking water complies with the Stage 1 Disinfectants / Disinfection Byproducts Rule.

Stage 2 of the regulation was finalized by USEPA in 2006, which further controls allowable levels of DBPs in drinking water without compromising disinfection itself. A required distribution system evaluation was completed in 2008 and a Stage 2 monitoring plan has been approved by CDPH. Full Stage 2 compliance began in 2012.

About Lead in Tap Water

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. The City of Huntington Beach Utility Division is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in



your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline at (800) 426-4791 between 9 a.m. and 5 p.m. Eastern Time (6 a.m. to 2 p.m. in California), or visit them on the web at www.epa.gov/safewater/lead.

Source Water Assessments

Imported (MWDSC) Water Assessment

Every five years, MWDSC is required by CDPH to examine possible sources of drinking water contamination in its State Water Project and Colorado River source waters.

In 2012, MWDSC submitted to CDPH its updated Watershed Sanitary Surveys for the Colorado River and State Water Project, which include suggestions for how to better protect these source waters. Both source waters are exposed to stormwater runoff, recreational activities, wastewater discharges, wildlife, fires, and other watershed-related factors that could affect water quality.

Water from the Colorado River is considered to be most vulnerable to contamination from recreation, urban/stormwater runoff, increasing urbanization in the watershed, and wastewater. Water supplies from Northern California's State Water Project are most vulnerable to contamination from urban/stormwater runoff, wildlife, agriculture, recreation, and wastewater.

USEPA also requires MWDSC to complete one Source Water Assessment (SWA) that utilizes information collected in the watershed sanitary surveys. MWDSC completed its SWA in December 2002. The SWA is used to evaluate the vulnerability of water sources to contamination and helps determine whether more protective measures are needed.

A copy of the most recent summary of either Watershed Sanitary Survey or the SWA can be obtained by calling MWDSC at (213) 217-6850.

Groundwater Assessment

An assessment of the groundwater sources for Huntington Beach was completed in December, 2002. The groundwater sources are considered most vulnerable to the following activities not associated with detected contaminants: dry cleaners, electrical/electronic manufacturing, gas stations, known contaminant plumes, metal plating, finishing, or fabricating, military installations and plastics/synthetics producers. You may request a summary of the assessment by contacting Brian Ragland, the City's Utilities Manager, at (714) 536-5921.

Want Additional Information?

There's a wealth of information on the internet about Drinking Water Quality and water issues in general. A good place to begin your own research is the [City of Huntington Beach](http://www.ci.huntington-beach.ca.us) website: www.ci.huntington-beach.ca.us.

In addition to extensive information about your local water and the support and services we offer, you'll find links for many other local, statewide, and national resources.

2012 City of Huntington Beach Distribution System Water Quality

Disinfection Byproducts	MCL (MRDL/MRDLG)	Average Amount	Range of Detections	MCL Violation?	Typical Source of Contaminant
Total Trihalomethanes (ppb)	80	32	4 – 75	No	Byproducts of chlorine disinfection
Haloacetic Acids (ppb)	60	17	ND – 31	No	Byproducts of chlorine disinfection
Chlorine Residual (ppm)	(4 / 4)	0.89	0.04 – 2.8	No	Disinfectant added for treatment
Aesthetic Quality					
Odor (threshold odor number)	3*	1.3	1 – 3	No	Erosion of natural deposits
Turbidity (NTU)	5*	0.07	0.01 – 1.2	No	Erosion of natural deposits

Eight locations in the distribution system are tested quarterly for total trihalomethanes and haloacetic acids; six locations are tested weekly for color, odor, and turbidity. Color was not detected in 2012.

MRDL = Maximum Residual Disinfectant Level; MRDLG = Maximum Residual Disinfectant Level Goal; NTU = nephelometric turbidity units; ND = not detected

*Contaminant is regulated by a secondary standard to maintain aesthetic qualities (taste, odor, color).

Bacterial Quality	MCL	MCLG	Highest Monthly Positive Samples	MCL Violation?	Typical Source of Contaminant
Total Coliform Bacteria	5%	0	0.97%	No	Naturally Present in the Environment

No more than 5% of the monthly samples may be positive for total coliform bacteria.

The occurrence of 2 consecutive total coliform positive samples, one of which contains fecal coliform/*E. coli*, constitutes an acute MCL violation.

Lead and Copper Action Levels at Residential Taps

Action Level (AL)	Public Health Goal	90 th Percentile Value	Sites Exceeding AL / Number of Sites	AL Violation?	Typical Source of Contaminant
Lead (ppb)	0.2	ND	0 out of 63	No	Corrosion of household plumbing
Copper (ppm)	0.3	0.33	1 out of 63	No	Corrosion of household plumbing

Every three years, at least 50 selected residences are tested for lead and copper at-the-tap. The most recent set of 63 samples was collected in 2012.

Lead was detected in 5 homes, none of which exceeded the regulatory lead action level (AL). Copper was detected in 47 samples, one of which exceeded the copper AL.

A regulatory action level is the concentration of a contaminant which, if exceeded, triggers treatment or other requirements that a water system must follow.

**This report contains important information
about your drinking water.
Translate it, or speak with someone
who understands it.**

يحتوي هذا التقرير على معلومات هامة عن نوعية ماء الشرب في منطقتك. يرجى ترجمته، أو ابحث التقرير مع صديق لك يفهم هذه المعلومات جيداً.

Arabic

この資料には、あなたの飲料水についての大切な情報が書かれています。内容をよく理解するために、日本語に翻訳して読むか説明を受けてください。

Japanese

Este informe contiene información muy importante sobre su agua potable. Para más información ó traducción, favor de contactar a Customer Service Representative. Telefono: (714) 536-5921.

Spanish

这份报告中有些重要的信息，讲到关于您所在社区的水的品质。请您找人翻译一下，或者请能看得懂这份报告的朋友给您解释一下。

Chinese

이 보고서에는 귀하가 거주하는 지역의 수질에 관한 중요한 정보가 들어 있습니다. 이것을 번역하거나 충분히 이해하시는 친구와 상의하십시오.

Korean

Bản báo cáo có ghi những chi tiết quan trọng về phẩm chất nước trong cộng đồng quý vị. Hãy nhờ người thông dịch, hoặc hỏi một người bạn biết rõ về vấn đề này.

Vietnamese



City of Huntington Beach

Public Works Utilities Division
2000 Main Street
Huntington Beach, California 92648



PRESORT STD
U.S. Postage
PAID
Santa Ana, CA
Permit No. 1

CRRT SORT

POSTAL CUSTOMER