

2018 Drinking Water Quality Report



The City of
**Huntington
Beach**
Utilities Division

Your 2018 Water Quality Report

Since 1990, California public and private water utilities have been providing an annual Drinking Water Quality Report to their customers. **This year's report covers all drinking water quality testing performed in calendar year 2017.** The City of Huntington Beach Public Works Utilities Division vigilantly safeguards your water supply and, as in years past, the water delivered to your home or business meets all drinking water quality standards required by federal and state regulatory agencies. The U.S. Environmental Protection Agency (USEPA) and the State Water Resources Control Board, Division of Drinking Water (DDW) are the agencies responsible for establishing and enforcing drinking water quality standards.

In some cases, the City goes beyond what is required by testing for unregulated chemicals that may have known health risks, but do not have drinking water standards. In addition, the Orange County Water District (OCWD), which manages the groundwater basin, and the Metropolitan Water District of

Southern California (MWDSC), which supplies treated imported surface water to the City, test for regulated and unregulated chemicals in our water supply. Monitoring for unregulated chemicals helps USEPA and DDW determine

where certain chemicals occur and whether new standards need to be established for those chemicals in order to protect public health.

Your drinking water is constantly monitored from source to tap for regulated and unregulated constituents through drinking water quality testing programs carried out by OCWD for groundwater, MWDSC for treated imported surface water and the Huntington Beach Public Works Utilities Division at the City's groundwater wells, reservoirs, and distribution system.

The State allows us to monitor for some chemicals less than once per year because the concentrations of these chemicals do not change frequently. Some of our data, though representative, may be more than one year old.



Questions about your water? Contact us for answers.

For information or concerns about this report, or your water quality in general, please contact Derek Smith or Jon Erickson at (714) 536-5921, or send an e-mail to dsmith@surfcity-hb.org. You may also address your concerns at the regularly scheduled City Council meetings held at City Hall at 2000 Main Street in Huntington Beach on the first and third Mondays of

each month at 6:00 pm in the City Hall Council Chambers, or at the monthly Public Works Commission meeting held on the third Wednesday of every month at 5:00 pm (refer to the City website — www.huntingtonbeachca.gov/ — for location). Please feel free to participate in these meetings. The City firmly believes in the public's right to know as much as possible about the quality of their drinking water. Your input and concerns are very important to us.

For more information about the health effects of the listed contaminants in the following tables, call the USEPA Safe Drinking Water Hotline at (800) 426-4791, or visit the Safe Drinking Water website at www.epa.gov/safewater.

This report contains
important information about
your drinking water.

If you do not understand it,
speak with someone who can explain it.



*Este informe contiene información
muy importante sobre su agua potable.*

*Para más información ó traducción,
favor de contactar a*

Customer Service Representative.

Telefono: (714) 536-5921.

The Quality of Your Water Is Our Primary Concern

Sources of Supply

Orange County's water supplies are a blend of groundwater provided by OCWD and water imported from Northern California and the Colorado River by the Municipal Water District of Orange County (MWDOC) via MWDSC. Groundwater comes from a natural underground aquifer that is replenished with water from the Santa Ana River, local rainfall, OCWD's Groundwater Replenishment System and imported water. The groundwater basin is 350 square miles and lies beneath north and central Orange County from Irvine to the Los Angeles County border and from Yorba Linda to the Pacific Ocean. More than 20 cities and retail water districts draw from the basin to provide water to homes and businesses.

In 2017, the City of Huntington Beach water consisted of 75% local groundwater and 25% imported treated surface water. The City operates 8 groundwater wells and 3 MWDSC treated imported surface water connections. Huntington Beach also has emergency water connections with the neighboring cities of Fountain Valley, Seal Beach, and Westminster.



- **Pesticides and herbicides** may come from a variety of sources such as agriculture, urban stormwater runoff and residential uses.
- **Inorganic contaminants**, such as salts and metals, can be naturally occurring or result from urban storm runoff, industrial or domestic wastewater discharges, oil and gas production, mining and farming.

- **Organic chemical contaminants**, including synthetic and volatile organic chemicals, are by-products of industrial processes and petroleum production, and can also come from gasoline stations, urban stormwater runoff, agricultural use and septic systems.

- **Radioactive contaminants** can be naturally occurring or the result of oil and gas production or mining activities.

In order to ensure that tap water is safe to drink, USEPA and the DDW prescribe regulations that limit the amount of certain contaminants in water provided by public water systems.

The U.S. Food and Drug Administration regulations and California law also establish limits for contaminants in bottled water that must provide the same protection for public health. Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk.

More information about contaminants and potential health effects can be obtained by calling the USEPA's Safe Drinking Water Hotline at (800) 426-4791, or visit the Safe Drinking Water website: www.epa.gov/safewater.

Orange County's Water Future

For years, Orange County has enjoyed an abundant, seemingly endless supply of high-quality water. However, as water demand continues to increase statewide, we must be even more conscientious about our water supply and maximize the efficient use of this precious natural resource.

OCWD and MWDOC work cooperatively to evaluate new and innovative water management and supply development programs, including water reuse and recycling, wetlands expansion, groundwater recharge facility construction, ocean and brackish water desalination, surface and underground storage, and water use efficiency programs. These efforts are helping to enhance long-term countywide water reliability and water quality.

A healthy water future for Orange County rests on finding and developing new water supplies, as well as protecting and improving the quality of the water that we have today. Your local and regional water agencies are committed to making the necessary investments in new water supply and management projects to ensure an abundant and high-quality water supply for our future.

Basic Information About Drinking Water Contaminants

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs and underground aquifers. As water travels over the surface of the land, or through the layers of the earth, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animal and human activity.

Contaminants that may be present in source water include:

- **Microbial contaminants**, such as viruses and bacteria, may come from sewage treatment plants, septic systems, agricultural livestock operations and wildlife.

Save Money & Water: Learn to Stop Leaks in Your Home

Nationwide, more than 1 trillion gallons of water are lost annually due to household leaks. That's equal to the annual water use of more than 11 million homes. The average household can waste more than 10,000 gallons each year due to correctable leaks. That's enough to wash 270 loads of laundry!

Ten percent of homes have leaks that waste 90 gallons or more per day! Common sources include toilets, faucets, showerheads, and landscape irrigation. But you should also consider less obvious sources of leaks: water heaters, ice makers, dishwashers, and filtration systems. Many of these are easily correctable, and fixing them can save about 10 percent on the average water bill.

Be sure to check your toilet for leaks at least once a year. Put food coloring in the tank. If it seeps into the bowl without flushing, there's a leak. And if your toilet flapper doesn't close properly after flushing, replace it. Remember, one drip a second adds up to five gallons lost per day! So regularly check your faucets and showerheads, as well as all hoses and connectors.

Many household leaks can be solved with simple tools and a little education — and fortunately, Do-It-Yourselfers have access to multiple resources. But even if you must pay for repairs, you will still save money in the long run. For more information on water conservation, visit www.huntingtonbeachca.gov/hbwater or www.ocwatersmart.com.



Federal and State Water Quality Regulations

— Water Quality Issues that Could Affect Your Health —

Disinfectants & Disinfection Byproducts

Disinfection of drinking water was one of the major public health advances in the 20th century. Disinfection was a major factor in reducing waterborne disease epidemics caused by pathogenic bacteria and viruses, and it remains an essential part of drinking water treatment today.

Chlorine disinfection has almost completely eliminated the risks of microbial waterborne diseases from our lives. Chlorine is added to your drinking water at the source of supply (groundwater well or surface water treatment

plant). Enough chlorine is added so that it does not completely dissipate as it travels through the water distribution system. This “residual” chlorine helps to prevent the growth of bacteria in the pipes that carry drinking water from the source into your home or business.

However, chlorine can react with naturally-occurring materials in the water to form unintended chemical byproducts, called disinfection byproducts (DBPs), which may pose health risks. A major challenge is how to balance the risks from microbial pathogens and DBPs. It is important to provide protection from these microbial pathogens while simultaneously ensuring decreasing health risks from disinfection byproducts. The Safe Drinking Water Act requires the USEPA to develop rules to achieve these goals.

Trihalomethanes (THMs) and Haloacetic Acids (HAAs) are the most common and most studied DBPs found in drinking water treated with chlorine. In 1979, the USEPA set the maximum amount of total THMs allowed in drinking water at 100 parts per billion as an annual running average. In January 2002, the Stage 1 Disinfectants / Disinfection Byproducts Rule lowered the total THM maximum annual average level to 80 parts per billion and added HAAs to the list of regulated chemicals in drinking water. Your drinking water complies with the Stage 1 Disinfectants / Disinfection Byproducts Rule.

Stage 2 of the regulation was finalized by USEPA in 2006, which further controls allowable levels of DBPs in drinking water without compromising disinfection itself. A required distribution system evaluation was completed in 2008 and a Stage 2 monitoring plan has been approved by DDW. Full Stage 2 compliance began in 2012.



Immuno-Compromised People

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised people, such as those with cancer who are undergoing chemotherapy, persons who have had organ transplants, people with HIV/AIDS or other immune system disorders, some elderly persons and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers.



Cryptosporidium

Cryptosporidium is a microscopic organism that, when ingested, can cause diarrhea, fever, and other gastrointestinal symptoms. The organism comes from animal and/or human wastes and may be found in surface water. MWDC tested their source water and treated surface water for *Cryptosporidium* in 2017 but did not detect it. If it is ever detected, *Cryptosporidium* is eliminated by an effective treatment combination including sedimentation, filtration and disinfection.

The USEPA and the federal Centers for Disease Control guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* and other microbial contaminants are available from USEPA's Safe Drinking Water Hotline at (800) 426-4791 between 7 a.m. to 1 p.m. Pacific Time, or visit them on the web at www.epa.gov/safewater.

Chloramines

Huntington Beach receives imported water from MWDC which produces water that is treated with chloramines, a combination of chlorine and ammonia, as its drinking water disinfectant. Chloramines are effective killers of bacteria and other microorganisms that may cause disease. Chloramines form fewer disinfection by-products and have no odor when used properly. People who use kidney dialysis machines at home may want to take special



precautions and consult their physician for the appropriate type of water treatment. Customers who maintain fish ponds, tanks or aquaria should also make necessary adjustments in water quality treatment, as chloramines are toxic to fish.

For further information please visit www.epa.gov/dwreginfo/chloramines-drinking-water.

About Lead in Tap Water

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with water service lines and home plumbing.

The City of Huntington Beach Utilities Division is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking.

If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline at (800) 426-4791 between 6 a.m. to 2 p.m. Pacific Time, or visit them on the web at www.epa.gov/safewater/lead.



Fluoridation

Fluoride occurs naturally in Huntington Beach's water supplies. In addition to the natural levels, the City adds a small amount of fluoride to the water to promote dental benefits per a majority vote of the community during the early 1970s.

Fluoridation's primary benefit is to help prevent tooth decay in children. Because of the dramatic health benefits of fluoridating drinking water, a 1997 Assembly Bill of the State of California mandated all large system water suppliers to begin fluoridating their systems.

The City's water is fluoridated to the DDW optimal levels within a range of 0.6 to 1.2 parts per million (ppm).



Huntington Beach Utilities staff collects one of the many daily water samples used to test and verify the City's water quality.



Huntington Beach Utilities staff monitor daily to ensure the City's water meets or exceeds all regulatory quality standards.

For additional information about the fluoridation of drinking water, please visit:

U.S. Centers for Disease Control and Prevention:

www.cdc.gov/fluoridation/

State Water Resources Control Board, Division of Drinking Water:

www.waterboards.ca.gov/drinking_water/certlic/drinkingwater/Fluoridation.html

Chart Legend

What are Water Quality Standards?

Drinking water standards established by USEPA and SWRCB set limits for substances that may affect consumer health or aesthetic qualities of drinking water. The chart in this report shows the following types of water quality standards:

- ◆ **Maximum Contaminant Level (MCL):** The highest level of a contaminant that is allowed in drinking water. Primary MCLs are set as close to the PHGs (or MCLGs) as is economically and technologically feasible.
- ◆ **Maximum Residual Disinfectant Level (MRDL):** The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.
- ◆ **Secondary MCLs** are set to protect the odor, taste, and appearance of drinking water.
- ◆ **Primary Drinking Water Standard:** MCLs for contaminants that affect health along with their monitoring and reporting requirements and water treatment requirements.
- ◆ **Regulatory Action Level (AL):** The concentration of a contaminant, which, if exceeded, triggers treatment or other requirements that a water system must follow.

What is a Water Quality Goal?

In addition to mandatory water quality standards, USEPA and SWRCB have set voluntary water quality goals for some contaminants. Water quality goals are often set at such low levels that they are not achievable in practice and are not directly measurable. Nevertheless, these goals provide useful guideposts and direction for water management practices. The chart in this report includes three types of water quality goals:

- ◆ **Maximum Contaminant Level Goal (MCLG):** The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs are set by USEPA.
- ◆ **Maximum Residual Disinfectant Level Goal (MRDLG):** The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.
- ◆ **Public Health Goal (PHG):** The level of a contaminant in drinking water below which there is no known or expected risk to health. PHGs are set by the California Environmental Protection Agency.

How are Contaminants Measured?

Water is sampled and tested throughout the year. Contaminants are measured in:

- ◆ parts per million (ppm) or milligrams per liter (mg/L)
- ◆ parts per billion (ppb) or micrograms per liter (µg/L)
- ◆ parts per trillion (ppt) or nanograms per liter (ng/L)

2017 City of Huntington Beach Drinking Water Quality Local Groundwater and Metropolitan Water District Treated Surface Water

Chemical	MCL	PHG (MCLG)	Avg. Groundwater Amount	Avg. Imported MWD Amount	Range of Detections	MCL Violation?	Typical Source of Contaminant
Radiologicals – Tested in 2015							
Uranium (pCi/L)	20	0.43	2.65	ND	ND – 7.61	No	Erosion of Natural Deposits
Inorganic Chemicals – Tested in 2017							
Aluminum (ppm)	1	0.6	ND	0.16	ND – 0.13	No	Treatment Process Residue, Natural Deposits
Arsenic (ppb)	10	0.004	0.55	ND	ND – 2.4	No	Treatment Process Residue, Natural Deposits
Barium (ppm)	1	2	0.023	ND	ND – 0.134	No	Refinery Discharge, Erosion of Natural Deposits
Fluoride (ppm) naturally-occurring	2	1	0.42	NR	0.28 – 0.58	No	Erosion of Natural Deposits
Fluoride (ppm) treatment-related*	Control Range 0.6 – 1.2 ppm Optimal Level 0.7 ppm		0.7	0.7	0.6 – 0.9	No	Water Additive for Dental Health
Nitrate as N (ppm)	10	10	0.48	ND	ND – 1.56	No	Agriculture Runoff and Sewage
Nitrate and Nitrite as N (ppm)	10	10	0.49	ND	ND – 1.57	No	Agriculture Runoff and Sewage
Secondary Standards**– Tested in 2017							
Aluminum (ppb)	200**	600	ND	160	ND – 130	No	Treatment Process Residue, Natural Deposits
Chloride (ppm)	500**	n/a	88.3	50	17.8 – 231	No	Runoff or Leaching from Natural Deposits
Color (color units)	15**	n/a	0.5	1	ND – 4	No	Naturally-occurring Organic Materials
Iron (ppb)	300**	n/a	<100	ND	ND – 160	No	Runoff or Leaching from Natural Deposits
Manganese (ppb)	50**	n/a	<20	ND	ND – 24.7	No	Runoff or Leaching from Natural Deposits
Odor (threshold odor number)	3**	n/a	0.5	2	ND – 4	No	Naturally-occurring Organic Materials
Specific Conductance (µmho/cm)	1,600**	n/a	706	490	348 – 1,150	No	Substances that Form Ions in Water
Sulfate (ppm)	500**	n/a	71.1	96	21.8 – 148	No	Runoff or Leaching from Natural Deposits
Total Dissolved Solids (ppm)	1,000**	n/a	430	294	210 – 720	No	Runoff or Leaching from Natural Deposits
Turbidity (NTU)	5**	n/a	0.2	ND	ND – 0.7	No	Runoff or Leaching from Natural Deposits
Unregulated Chemicals – Tested in 2017							
Alkalinity, total as CaCO ₃ (ppm)	Not Regulated	n/a	154	61	48 – 198	n/a	Runoff or Leaching from Natural Deposits
Boron (ppm)	NL = 1	n/a	<0.1	0.1	ND – 0.12	n/a	Runoff or Leaching from Natural Deposits
Calcium (ppm)	Not Regulated	n/a	77.2	28	20 – 145	n/a	Runoff or Leaching from Natural Deposits
Hardness, total as CaCO ₃ (ppm)	Not Regulated	n/a	238	119	67.6 – 457	n/a	Runoff or Leaching from Natural Deposits
Hardness, total (grains/gallon)	Not Regulated	n/a	14	7	4 – 26.8	n/a	Runoff or Leaching from Natural Deposits
Magnesium (ppm)	Not Regulated	n/a	12.2	12	2.6 – 23.1	n/a	Runoff or Leaching from Natural Deposits
pH (pH units)	Not Regulated	n/a	7.9	8.4	7.7 – 8.6	n/a	Hydrogen Ion Concentration
Potassium (ppm)	Not Regulated	n/a	3.1	2.8	1.8 – 4.6	n/a	Runoff or Leaching from Natural Deposits
Sodium (ppm)	Not Regulated	n/a	51.5	51	36.2 – 81.4	n/a	Runoff or Leaching from Natural Deposits
Total Organic Carbon (ppm)	TT	n/a	<0.3	2.4	ND – 3.0	n/a	Various Natural and Man-made Sources
Vanadium (ppb)	NL = 50	n/a	<3	ND	ND – 9.7	n/a	Runoff or Leaching from Natural Deposits

ppb = parts-per-billion; ppm = parts-per-million; pCi/L = picoCuries per liter; NTU = nephelometric turbidity units; µmho/cm = micromhos per centimeter; NR = Not Required to be analyzed; ND = not detected; NL = Notification Level; < = average is less than the detection limit for reporting purposes; MCL = Maximum Contaminant Level; (MCLG) = federal MCL Goal; PHG = California Public Health Goal; n/a = not applicable; TT = treatment technique

*The City of Huntington Beach and the Metropolitan Water District of Southern California add fluoride to the naturally-occurring levels in order to help prevent dental cavities. The fluoride level in the treated water is maintained within an optimal range of 0.6 to 1.2 as required by the State Water Resources Control Board, Division of Drinking Water regulations.

**Contaminant is regulated by a secondary standard.

Turbidity – combined filter effluent Metropolitan Water District Diemer Filtration Plant	Treatment Technique	Turbidity Measurements	TT Violation?	Typical Source of Contaminant
1) Highest single turbidity measurement	0.3 NTU	0.08	No	Soil Runoff
2) Percentage of samples less than 0.3 NTU	95%	100%	No	Soil Runoff

Turbidity is a measure of the cloudiness of the water, an indication of particulate matter, some of which might include harmful microorganisms. Low turbidity in Metropolitan's treated water is a good indicator of effective filtration. Filtration is called a "treatment technique" (TT). A treatment technique is a required process intended to reduce the level of chemicals in drinking water that are difficult and sometimes impossible to measure directly. NTU = nephelometric turbidity units

Unregulated Chemicals Requiring Monitoring

Chemical	Notification Level	PHG	Average Local Groundwater	Average MWD Surface Water	Range of Detections	Most Recent Sampling Date
1,4-Dioxane (ppb)	1	n/a	0.3	ND	ND – 1.18	2014
1,1-Dichloroethane (ppb)***	MCL = 5	3	< 0.03	ND	ND – 0.12	2014
Chlorate (ppb)	800	n/a	9.9	53	ND – 99.9	2014
Chromium, Hexavalent (ppb)	n/a	0.02****	0.19	0.07	0.03 – 0.51	2014
Chromium, Total (ppb)*****	MCL = 50	MCLG = 100	< 0.2	<0.2	ND – 0.5	2014
Molybdenum, Total (ppb)	n/a	n/a	4.93	4.7	3.5 – 6.8	2014
Strontium, Total (ppb)	n/a	n/a	591	931	236 – 1,240	2014
Vanadium, Total (ppb)	50	n/a	2.83	2.8	1 – 6.4	2014

***1,1-Dichloroethane is regulated with an MCL of 5 ppb but was not detected, based on the detection limit for purposes of reporting of 0.5 ppb. 1,1-Dichloroethane was included as part of the unregulated chemicals requiring monitoring.

****There is currently no MCL for hexavalent chromium. The previous MCL of 10 ppb was withdrawn on September 11, 2017.

*****Total chromium is regulated with an MCL of 50 ppb but was not detected, based on the detection limit for purposes of reporting of 10 ppb. Total chromium was included as part of the unregulated chemicals requiring monitoring.

2017 City of Huntington Beach Distribution System Water Quality

Disinfection Byproducts	MCL (MRDL/MRDLG)	Average Amount	Range of Detections	MCL Violation?	Typical Source of Contaminant
Total Trihalomethanes (ppb)	80	47	17 – 60	No	Byproducts of chlorine disinfection
Haloacetic Acids (ppb)	60	23	9.0 – 36	No	Byproducts of chlorine disinfection
Chlorine Residual (ppm)	(4 / 4)	1.23	ND – 2.70	No	Disinfectant added for treatment
Aesthetic Quality					
Color (color units)	15*	<5	ND – 5	No	Runoff or Leaching from Natural Deposits
Odor (threshold odor number)	3*	1	1 – 2	No	Naturally-occurring Organic Materials
Turbidity (NTU)	5*	0.18	ND – 1.28	No	Erosion of natural deposits

Eight locations in the distribution system are tested quarterly for total trihalomethanes and haloacetic acids; six locations are tested weekly for color, odor, and turbidity.

MRDL = Maximum Residual Disinfectant Level; MRDLG = Maximum Residual Disinfectant Level Goal

*Contaminant is regulated by a secondary standard to maintain aesthetic qualities (taste, odor, color).

Lead and Copper Action Levels at Residential Taps

	Action Level (AL)	Health Goal	90 th Percentile Value	Sites Exceeding AL / Number of Sites	AL Violation?	Typical Source of Contaminant
Lead (ppb)	15	0.2	ND	1 out of 68	No	Corrosion of household plumbing
Copper (ppm)	1.3	0.3	0.28	0 out of 68	No	Corrosion of household plumbing

Every three years, at least 50 selected residences are tested for lead and copper at-the-tap. The most recent set of 68 samples was collected in 2015.

Lead was detected in 6 samples, one of which exceeded the regulatory lead action level (AL). Copper was detected in 41 samples, none of which exceeded the copper AL.

A regulatory action level is the concentration of a contaminant which, if exceeded, triggers treatment or other requirements that a water system must follow.

In 2017, a total of five schools submitted requests to be sampled for lead.

Unregulated Chemicals Requiring Monitoring

Chemical	Notification Level	PHG	Average Amount	Range of Detections	Most Recent Sampling Dates
Chlorate (ppb)	800	n/a	<20	ND – 38	2014
Chromium, Hexavalent (ppb)	n/a	0.02**	0.15	0.07 – 0.23	2014
Molybdenum, Total (ppb)	n/a	n/a	4.9	4.6 – 5.3	2014
Strontium, Total (ppb)	n/a	n/a	600	500 – 780	2014
Vanadium, Total (ppb)	50	n/a	1.7	1.4 – 2.2	2014

**There is currently no MCL for hexavalent chromium. The previous MCL of 10 ppb was withdrawn on September 11, 2017.

Source Water Assessments

Imported (MWDSC) Water Assessment

Every five years, MWDSC is required by DDW to examine possible sources of drinking water contamination in its State Water Project and Colorado River source waters.

The most recent watershed sanitary surveys of its source water supplies from the Colorado River was updated in 2015 and the State Water Project was updated in 2016. Water from the Colorado River is considered to be most vulnerable to contamination from recreation, urban/stormwater runoff, increasing urbanization in the watershed, and wastewater. Water supplies from Northern California's State Water Project are most vulnerable to contamination from urban/stormwater runoff, wildlife, agriculture, recreation, and wastewater.

USEPA also requires MWDSC to complete one Source Water Assessment (SWA) that utilizes information collected in the watershed sanitary surveys. MWDSC completed its SWA in

December 2002. The SWA is used to evaluate the vulnerability of water sources to contamination and helps determine whether more protective measures are needed.

A copy of the most recent summary of either Watershed Sanitary Survey or the SWA can be obtained by calling MWDSC at (800) CALL-MWD (225-5693).

Groundwater Assessment

An assessment of the groundwater sources for Huntington Beach was completed in December, 2002. The groundwater sources are considered most vulnerable to the following activities not associated with detected contaminants: dry cleaners, electrical/electronic manufacturing, gas stations, known contaminant plumes, metal plating, finishing, or fabricating, military installations and plastics/synthetics producers.

You may request a summary of the assessment by contacting Brian Ragland, the City's Utilities Manager, at (714) 536-5921.

