

Huntington Beach Fire Department

Premise Identification


All new and existing buildings within the City must have approved numbers affixed in such a manner as to be clearly visible and legible from the street or the road fronting the property.

REQUIREMENTS

1. BUILDING ADDRESS

- 1.1 Numbers shall be affixed on a structure in clear view, unobstructed by trees or shrubs.
- 1.2 All numbers shall be clearly visible from the fronting public street or road, in contrasting colors such as white trim with black numbers.
- 1.3 Address numbers visible from a street other than the original addressing street shall have the street name added to the address numbers.

EXAMPLE: 12345 Main Street



- 1.4 All new and existing single-family residences shall be identified with minimum 4 inch high numbers with a minimum ½ inch stroke.
- 1.5 All multi-family, multi-retail, and multi-commercial occupancies shall have a minimum 6 inch high numbers with a minimum 1½ inch stroke.

Premise Identification

- 1.6 All large industrial or commercial buildings shall have a minimum 10 inch high numbers with a minimum 1½ inch stroke.
- 1.7 All complexes that are three (3) stories or greater in height and/or have two (2) or more building units shall have a minimum 10 inch high numbers with a minimum 1½ inch stroke.

2. UNIT ADDRESS

All multi-family, multi-industrial, and multi-commercial occupancies shall identify individual units with numbers a minimum height of 4 inches affixed to the unit's front door entrance or frame. All buildings with rear door access shall identify that unit with the proper numbers affixed to the door or frame.

3. UTILITY METER

All buildings with two (2) or more units shall identify utility meters according to the unit being serviced

APPROVED: Original Signed
Duane S. Olson, Fire Chief

DATE: January 13, 2009